



AirLancer Extender I-D180agn

Indoor MIMO antenna for mounting from suspended ceilings

- MIMO antenna for 2.4 and 5 GHz
- Ideal for 802.11n access points with 2 or 3 antenna sockets
- Easy mounting from suspended ceilings
- Understated, attractive design


The AirLancer Extender I-D180agn is ideal where an 802.11n access point is installed above a suspended ceiling and should be out of view. Its appearance is highly discreet in locations such as hospitals, schools or hotels. The AirLancer Extender I-D180agn connects to the access point over three antenna sockets, only two of which are used for 2x2 MIMO access points. The antenna supports both the 2.4- and 5-GHz frequencies, the latter being ideal for MIMO operations due to the potential from channel bundling.

AirLancer Extender I-D180agn

Technical data	
Applications	Indoor MIMO antenna for mounting from suspended ceilings
Frequency band	2400 - 2500 MHz and 5150 - 5875 MHz
Max. antenna gain*	2.5 dBi at 2400 - 2500 MHz 8.0 dBi at 5150 - 5875 MHz
Average antenna gain*	1.0 dBi at 2400 - 2500 MHz 2.5 dBi at 5150 - 5875 MHz
Radiation characteristics	Horizontal HPBW 360° Vertical HPBW 60° +/- 5° at 2400 - 2500 MHz Vertical HPBW 55° +/- 10° at 5150 - 5875 MHz
Polarization	Linear, vertical
VSWR	2.0 : 1 (max.)
Impedance	50 Ohm
Mounting	Installation under suspended ceilings
Services	10 W
Connections	3 x SMA connectors
Environmental conditions and material properties	
Temperature	-10°C to + 55°C
Humidity	95% @ 55°C
Housing color	White
Housing material	ABS, UV resistant
Weight	112 g
Dimensions	Diameter 13.3 cm, height 5.7 cm
Package content	
Cable	3 x 1 m low-loss coaxial cable, 1 x 50 Ohm terminating resistor, 1 drilling template, 1x mounting instructions
Item	
Warranty	2 years
Item number	60917


* measured at the antenna socket

Rear view, antenna:



AirLancer Extender I-D180agn

Beam pattern, AirLancer Extender I-D180agn



LANCOM, LANCOM Systems and LCOS are registered trademarks. All other names or descriptions used may be trademarks or registered trademarks of their owners. Subject to change without notice. No liability for technical errors and/or omissions. 05/10